

**RECEIVED
CENTRAL FAX CENTER****AUG 25 2006**300.0007
2002-0415

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Chong (et al.)

Serial No.: 10/776,659

Filed: February 11, 2004

For: **SYSTEMS AND METHODS FOR TERMINATION OF SESSION INITIATION
PROTOCOL**

Group: Not yet assigned

Examiner:

Durham, North Carolina
August 25, 2006Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**CERTIFICATION OF FACSIMILE TRANSMISSION**


Sirs:

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax. No. 571-273-8300 on the date set forth below

1. Status Inquiry (2 pages)

Clare Burnett

Printed name of person signing



Signature

Date: August 25, 2006

RECEIVED
CENTRAL FAX CENTER

AUG 25 2006

300.0007
2002-0415

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Chong et al.

Serial No.: 10/776,659

Filed: February 11, 2004

For: SYSTEMS AND METHODS FOR TERMINATION OF SESSION INITIATION
PROTOCOL

Durham, North Carolina
August 23, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

STATUS INQUIRY

Sir:

1. More than 29 months have passed since

☒ NEW APPLICATIONS

the filing of this application on February 11, 2004.

No communication has been received from the U.S. Patent and Trademark Office indicating action on this application.

☐ AMENDED APPLICATIONS

the filing of a response on _____.

No further communication has been received from the U.S. Patent and Trademark Office.

☐ APPEALED APPLICATION

The Appeal Brief was filed on _____.

☐ An Examiner's Answer was mailed on _____.


☐ A Reply to the Examiner's Answer was submitted on _____.

☐ ALLOWED APPLICATIONS

☐ the mailing of Form PTOL-327 and/or Examiner's Amendment on _____.

2. Kindly advise of the present status of this application.

Respectfully submitted,



Peter H. Priest
Reg. No. 30,210
Priest & Goldstein, PLLC
5015 Southpark Drive, Suite 230
Durham, NC 27713-7736
(919) 806-1600